

FLEXONIC®



Our high-performance Flexonic® belt is fitted with an elastic polyamide cord. We use a molding process to guarantee the highest quality. They can be installed on systems with a fixed center-to-center distance, making any type of transmission layout feasible, such as serpentine belt assemblies or receivers engaged by the back surface, providing constant tension.

- Products Family: **Belts**

TECHNICAL FEATURES

- Longitudinal grooves.
- Compatible with 0.1 to 100 kW transmission.
- Four different models available: PH, PJ, PK and PL.


BENEFITS

- Lightweight
- Comfort
- Cost-Effective
- Reliability

MARKET AND EXPERTISE



INDUSTRY



Belt Drive Systems

ALL PRODUCTS FAMILIES

All Products Families for Industry Belt Drive Systems




Belts

Our belts transmit power from the motor to all power transmission receivers. They resist both high and low temperatures, dynamic loads and abrasions. They also offer an outstanding acoustic performance.



Hydraulic Belt Tensioners

Our Hydraulic Belt Tensioners reduce vibrations in power transmission systems. They also extend transmission lifespans by optimizing belt tension. They're particularly well suited for components with a high dynamic behavior.



On/Off Idlers

They guarantee the position and automatic tension once the FleXonic® belt has been installed for complex multi-shaft systems. Enable a quick assembly adapted to the FleXonic® belt tension even in the most complex cases.